

SAFETY DATA SHEET

Revision Date 04-Aug-2015 WAI1 - AGHS - OSHA **Revision Number** 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name Conductivity / TSD Standard Solutions

1413 µS/cm Conductivity Solution 1500 µS/cm Conductivity Solution 84 µS/cm Conductivity Solution 12880 µS/cm Conductivity Solution 2764 µS/cm Conductivity Solution 23 µS/cm Conductivity Solution 270 µS/cm Conductivity Solution 80 ms Conductivity Solution 447 µS/cm Conductivity Solution 15000 µS/cm Conductivity Solution 8974 µS/cm Conductivity Solution 10 μS/cm Conductivity Solution 3 PPT as NaCl Pouch, 5650 µS/cm

Product Number(s) CONDUCTIVITY / TSD STANDARD SOLUTIONS

00606-10, 00653-15, 00653-16, 00653-18, 00653-20, 00653-23, 00653-27, 00653-32, 00653-47, 00653-50, 00653-89, 35653-09, 35653-10, 35653-11, 35653-12, 35653-13,

353653-15

Mixture Pure substance/mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Use as laboratory reagent

Uses advised against No Information available

Manufacturer, Importer, Supplier Cole-Parmer™

North America

625 East Bunker Court

Vernon Hills, IL 60061 USA

Tel: 1-800-323-4340

E-mail address info@coleparmer.com

USA Made in

Emergency Telephone 888-358-4717

8:00 am - 6:00 pm CST

Conductivity / TSD Standard Solutions 1413 µS/cm Conductivity Solution 1500 µS/cm Conductivity Solution 84 µS/cm Conductivity Solution 12880 µS/cm Conductivity Solution 2764 µS/cm Conductivity Solution 23 µS/cm Conductivity Solution 270 µS/cm Conductivity Solution 80 ms Conductivity Solution 447 µS/cm Conductivity Solution 15000 µS/cm Conductivity Solution 15000 µS/cm Conductivity Solution 10 µS/cm Conductivity Solution 3 PPT as NaCl Pouch, 5650 µS/cm

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label Elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Clear Physical State Liquid Odor None

Safety data sheet available on request

Precautionary Statements

Do not handle until all safety information has been read and understood.

Hazards not otherwise classified (HNOC)

No information available

Other Information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General Advice

Use first aid treatment according to the nature of the injury. Get medical attention

Product Number(s) CONDUCTIVITY / TSD STANDARD SOLUTIONS

Document No. 264886-001

Conductivity / TSD Standard Solutions 1413 µS/cm Conductivity Solution 1500 µS/cm Conductivity Solution 84 µS/cm Conductivity Solution 12880 µS/cm Conductivity Solution 2764 µS/cm Conductivity Solution 23 µS/cm Conductivity Solution 270 µS/cm Conductivity Solution 80 ms Conductivity Solution 447 µS/cm Conductivity Solution 15000 µS/cm Conductivity Solution 15000 µS/cm Conductivity Solution 10 µS/cm Conductivity Solution 3 PPT as NaCl Pouch, 5650 µS/cm

immediately if symptoms occur. Show this safety data sheet to the doctor in attendance.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Obtain medical attention.

Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes while removing

all contaminated clothing and shoes. If skin reactions occur, contact a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, obtain medical

attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a

physician or Poison Control Center immediately.

mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

Most important symptoms and effects, both acute and delayed

Most important symptoms/effects No information available

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

Specific Hazards Arising from the Chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Conductivity / TSD Standard Solutions 1413 μS/cm Conductivity Solution 1500 μS/cm Conductivity Solution 84 μS/cm Conductivity Solution 12880 μS/cm Conductivity Solution 2764 μS/cm Conductivity Solution 23 μS/cm Conductivity Solution 270 μS/cm Conductivity Solution 80 ms Conductivity Solution 447 μS/cm Conductivity Solution 15000 μS/cm Conductivity Solution 15000 μS/cm Conductivity Solution 1974 μS/cm Conductivity Solution 10 μS/cm Conductivity Solution 3 PPT as NaCl Pouch, 5650 μS/cm

Personal Precautions Environmental Precautions Use personal protective equipment. Refer to Section 8. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in

low areas.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning UpSoak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling To avoid risks to human health and the environment, comply with the instructions for use

Wear personal protective equipment

Avoid breathing dust/fume/gas/mist/vapours/spray Ensure adequate ventilation, especially in confined areas

Conditions for Safe Storage, Including any Incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place

Store at room temperature in the original container

Keep away from direct sunlight

Incompatible Products No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face Protection Wear chemical splash goggles. If splashes are likely to occur, wear:. Face-shield.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory Protection None required under normal usage. In case of inadequate ventilation wear respiratory

protection.

Hygiene MeasuresHandle in accordance with good industrial hygiene and safety practice.

Product Number(s) CONDUCTIVITY / TSD STANDARD SOLUTIONS

Document No. 264886-001

Conductivity / TSD Standard Solutions 1413 μ S/cm Conductivity Solution 1500 μ S/cm Conductivity Solution 84 μ S/cm Conductivity Solution 12880 μ S/cm Conductivity Solution 2764 μ S/cm Conductivity Solution 23 μ S/cm Conductivity Solution 270 μ S/cm Conductivity Solution 80 ms Conductivity Solution 447 μ S/cm Conductivity Solution 15000 μ S/cm Conductivity Solution 1974 μ S/cm Conductivity Solution 1974 μ S/cm Conductivity Solution 3 PPT as NaCl Pouch, 5650 μ S/cm

Remarks • Method

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid Appearance Clear Odor None

Odor Threshold No information available

PH Range 4.75 - 7.75

<u>Property</u> <u>Values</u>

Melting point/freezing pointNo information availableBoiling Point/Range~ 100 °C / 212 °F

Flash Point N/A

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor Density
Specific Gravity
No information available
No information available
No information available
No information available

Water Solubility soluble

Solubility in other solvents

Partition coefficient

No information available
No information available

Autoignition Temperature

Decomposition TemperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Other Information

Softening Point
Molecular Weight
No information available
No Content(%)
No information available
No information available
No Information available
Bulk Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No Information available

Chemical Stability

Stable under normal conditions

Product Number(s) CONDUCTIVITY / TSD STANDARD SOLUTIONS

Document No. 264886-001

Product Name Revision Date 04-Aug-2015

Conductivity / TSD Standard Solutions 1413 µS/cm Conductivity Solution 1500 µS/cm Conductivity Solution 84 µS/cm Conductivity Solution 12880 µS/cm Conductivity Solution 2764 µS/cm Conductivity Solution 23 µS/cm Conductivity Solution 270 µS/cm Conductivity Solution 80 ms Conductivity Solution 447 µS/cm Conductivity Solution 15000 µS/cm Conductivity Solution 8974 µS/cm Conductivity Solution 10 μS/cm Conductivity Solution 3 PPT as NaCl Pouch, 5650 µS/cm

Possibility of Hazardous Reactions

None under normal processing

Conditions to Avoid

Extremes of temperature and direct sunlight

Incompatible Materials

No information available

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation No information available

No information available **Eye Contact**

Skin Contact No information available

Ingestion No information available

Information on Toxicological Effects

No information available **Symptoms**

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available

Mutagenic Effects No information available

No information available. Carcinogenicity

Reproductive Effects No information available

STOT - single exposure No information available

STOT - repeated exposure No information available

No information available **Aspiration hazard**

Numerical measures of toxicity - Product Information

Product Number(s) CONDUCTIVITY / TSD STANDARD SOLUTIONS

Conductivity / TSD Standard Solutions 1413 µS/cm Conductivity Solution 1500 µS/cm Conductivity Solution 84 µS/cm Conductivity Solution 12880 µS/cm Conductivity Solution 2764 µS/cm Conductivity Solution 23 µS/cm Conductivity Solution 270 µS/cm Conductivity Solution 80 ms Conductivity Solution 447 µS/cm Conductivity Solution 15000 µS/cm Conductivity Solution 15000 µS/cm Conductivity Solution 10 µS/cm Conductivity Solution 3 PPT as NaCl Pouch, 5650 µS/cm

12. ECOLOGICAL INFORMATION

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available

Mobility

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

RID Not regulated

Conductivity / TSD standard Solutions 1413 μS/cm Conductivity Solution 1500 μS/cm Conductivity Solution 84 μS/cm Conductivity Solution 12880 μS/cm Conductivity Solution 2764 μS/cm Conductivity Solution 23 μS/cm Conductivity Solution 270 μS/cm Conductivity Solution 80 ms Conductivity Solution 80 ms Conductivity Solution 447 μS/cm Conductivity Solution 15000 μS/cm Conductivity Solution 15000 μS/cm Conductivity Solution 10 μS/cm Conductivity Solution 3 PPT as NaCl Pouch, 5650 μS/cm

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

USINV Complies
CANINV Complies
EINECS/ELINCS Complies

ENCS Does not Comply

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CANINY/ DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous

Categorization

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Product Name Revision Date 04-Aug-2015

Conductivity / TSD Standard Solutions 1413 µS/cm Conductivity Solution 1500 µS/cm Conductivity Solution 84 µS/cm Conductivity Solution 12880 µS/cm Conductivity Solution 2764 µS/cm Conductivity Solution 23 µS/cm Conductivity Solution 270 µS/cm Conductivity Solution 80 ms Conductivity Solution 447 µS/cm Conductivity Solution 15000 µS/cm Conductivity Solution 8974 µS/cm Conductivity Solution 10 μS/cm Conductivity Solution 3 PPT as NaCl Pouch, 5650 µS/cm

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

U.S. EPA Label Information

No information available

16. OTHER INFORMATION

Prepared By Thermo Fisher Scientific©

Water and Lab Products

22 Alpha Road

Chelmsford, MA 01824, USA

1-978-232-6000

Prepared For Cole-Parmer™

Issue Date No information available

04-Aug-2015 **Revision Date**

Expiration Date SDS is valid 3 years from the revision date. Contact info@coleparmer.com for the latest

revision.

Reason for revision Updated Product Names.

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet